Author index

Abbondanza, A., see Bolognesi, A. (993) 287
Al-Ahkras, G., Hampton, S.M., Wright, J. and Marks, V.
The extraction and purification of a peptide from rat insulinoma tissue (993) 275
Andaluz, E., see Ridruejo, J.C. (993) 179
Arner, E.C. and Kirkland, J.J.
Effect of interleukin-1 on the size distribution of cartilage proteoglycans as determined by sedimentation field flow fractionation (993) 100
Asselot-Chapel, C., Kern, P. and Labat-Robert, J.
Biosyntheses of interstitial collagens and fibronectin by porcine aorta smooth muscle cells. Modulation by low-molecular-weight heparin fragments (993) 240

Bank, P.A., Salyers, K.L. and Zile, M.H.
Effect of tetrachlorodibenzo-*p*-dioxin (TCDD) on the glucuronidation of retinoic acid in the rat (993) 1
Barbieri, L., see Bolognesi, A. (993) 287
Barcellona, M.L. and Gratton, E.
Fluorescence lifetime distributions of DNA–4′,6-diamidino-2-phenylindole complex (993) 174
Barrow, S.E., Ward, P.S., Sleightholm, M.A., Ritter, J.M. and Dollery, C.T.
Cigarette smoking: profiles of thromboxane- and prostacyclin-derived products in human urine (993) 121
Barsacchi, D., see Del Corso, A. (993) 116
Barsanti, L., see Gualtieri, P. (993) 293
Beckett, G.J., see Strange, R.C. (993) 186
Bell, J., see Strange, R.C. (993) 186
Bolis, S., Handley, C.J. and Comper, W.D.
Passive loss of proteoglycan from articular cartilage explants (993) 157
Bolognesi, A., Barbieri, L., Carnicelli, D., Abbondanza, A., Cenini, P., Falasca, A.I., Dinota, A. and Stirpe, F.
Purification and properties of a new ribosome-inactivating protein with RNA *N*-glycosidase activity suitable for immunotoxin preparation from the seeds of *Momordica cochinchinensis* (993) 287
Bomford, A., see Ward, R.J. (993) 131
Børresen, T., Klausen, N.K., Larsen, L.M. and Sørensen, H.
Purification and characterisation of tyrosine decarboxylase and aromatic-L-amino-acid decarboxylase (993) 108
Boswell, D.R., see Brennan, S.O. (993) 48
Brauer, M., see Towner, R.A. (993) 92
Brennan, S.O., Peach, R.J. and Boswell, D.R.
Novel human proalbumin variant with intact dibasic sequence facilitates identification of its converting enzyme (993) 48
Burchell, A., see Pears, J. (993) 224

Camici, M., see Del Corso, A. (993) 116
Carnicelli, D., see Bolognesi, A. (993) 287
Carrère, J., Chazalette, J.P. and Figarella, C.
Behaviour of serum immunoreactive trypsin after serum activation by enterokinase in normal and cystic fibrosis patients. Evidence of a trypsin–α_1-proteinase inhibitor complex in some cystic fibrosis patients (993) 137
Cejudo, F.J., see Ruiz, M.T. (993) 36
Cenini, P., see Bolognesi, A. (993) 287
Chacon, J.N., see Lambert, C. (993) 12
Chance, B., see Tanaka, A. (993) 280
Chazalette, J.P., see Carrère, J. (993) 137
Chedekel, M.R., see Lambert, C. (993) 12
Clifford, J.L., see Lah, T.T. (993) 63
Comper, W.D., see Bolis, S. (993) 157
Crissman, J.D., see Lah, T.T. (993) 63

D'Agostino, L., Pignata, S., Daniele, B., Ventriglia, R., Ferrari, G., Ferraro, C., Spagnuolo, S., Lucchelli, P.E. and Mazzacca, G.
Release of diamine oxidase into plasma by glycosaminoglycans in rats (993) 228
Daniele, B., see D'Agostino, L. (993) 228
Day, N.A., see Lah, T.T. (993) 63
Del Corso, A., Barsacchi, D., Mohamud Osman, A., Sheck Mohamed, A., Tozzi, M.G., Camici, M. and Mura, U.
Lens aldo-keto reductase of *Camelus dromedarius*: purification and properties (993) 116
Dickson, D.P.E., see Ward, R.J. (993) 131
Dinota, A., see Bolognesi, A. (993) 287
D'Ischia, M., Napolitano, A. and Prota, G.
Psoralens sensitize glutathione photooxidation in vitro (993) 143
Dollery, C.T., see Barrow, S.E. (993) 121
Duncan, R., see Flanagan, P.A. (993) 83

Elworthy, P. and Hitchcock, E.
Polyamine levels in red blood cells from patient groups of different sex and age (993) 212

Falasca, A.I., see Bolognesi, A. (993) 287
Ferrari, G., see D'Agostino, L. (993) 228
Ferraro, C., see D'Agostino, L. (993) 228
Figarella, C., see Carrère, J. (993) 137
Fischer, S., see Lorenz, R.L. (993) 259
Flanagan, P.A., Kopečková, P., Kopeček, J. and Duncan, R.
Evaluation of protein-*N*-(2-hydroxypropyl)methacrylamide copolymer conjugates as targetable drug carriers. 1. Binding, pinocytic uptake and intracellular distribution of transferrin and anti-transferrin receptor antibody conjugates (993) 83

Ganju, R.K., Murthy, S.K. and Vithayathil, P.J.
Purification and characterization of two cellobiohydrolases from *Chaetomium thermophile* var. *coprophile* (993) 266
Giovannini, E., see Talesa, V. (993) 7
Gratton, E., see Barcellona, M.L. (993) 174
Gualtieri, P., Barsanti, L. and Passarelli, V.
Absorption spectrum of a single isolated paraflagellar swelling of *Euglena gracilis* (993) 293

Hall, N.A., Jolly, R.D., Palmer, D.N., Lake, B.D. and Patrick, A.D.
Analysis of dolichyl pyrophosphoryl oligosaccharides in purified storage cytosomes from ovine ceroid-lipofuscinosis (993) 245
Hall, P.K. and Roberts, R.C.
Phosphate promotes glycation of antithrombin III which interferes with heparin binding (993) 217
Hampton, S.M., see Al-Ahkras, G. (993) 275
Handley, C.J., see Bolis, S. (993) 157
Helmer, K.M., see Lah, T.T. (993) 63
Hendriks, T., see Martens, M.F.W.C. (993) 252

Hibasami, H., see Maekawa, S. (993) 199
Hiley, C., see Strange, R.C. (993) 186
Hitchcock, E., see Elworthy, P. (993) 212
Hiyama, M., see Inouhe, M. (993) 51
Hönlinger, C. and Kubicek, C.P.
Metabolism and compartmentation of α-aminoadipic acid in penicillin-producing strains of *Penicillium chrysogenum* (993) 204
Honn, K.V., see Lah, T.T. (993) 63
Howie, A.F., see Strange, R.C. (993) 186
Hsu, M.-J., see Tsai, A.-l. (993) 74
Hume, R., see Strange, R.C. (993) 186

Inouhe, M., Hiyama, M., Tohoyama, H., Joho, M. and Murayama, T.
Cadmium-binding protein in a cadmium-resistant strain of *Saccharomyces cerevisiae* (993) 51

Janzen, E.G., see Towner, R.A. (993) 92
Joho, M., see Inouhe, M. (993) 51
Jolly, R.D., see Hall, N.A. (993) 245
Jones, P., see Strange, R.C. (993) 186
Jung, R.T., see Pears, J. (993) 224

Kern, P., see Asselot-Chapel, C. (993) 240
King, P.M., see Worth, G.A. (993) 134
Kirkland, J.J., see Arner, E.C. (993) 100
Klausen, N.K., see Børresen, T. (993) 108
Koivusalo, M., see Talesa, V. (993) 7
Kono, N., see Sakai, T. (993) 128
Kopeček, J., see Flanagan, P.A. (993) 83
Kopečková, P., see Flanagan, P.A. (993) 83
Kosunen, T.U., see Kuusela, P. (993) 297
Kubicek, C.P., see Hönlinger, C. (993) 204
Kuusela, P., Moran, A.P., Vartio, T. and Kosunen, T.U.
Interaction of *Campylobacter jejuni* with extracellular matrix components (993) 297
Kyner, D. and Rothenberg, S.P.
Age-dependent expression of a novel protein in mouse liver immunologically and functionally homologous with dihydrofolate reductase (993) 56

Labat-Robert, J., see Asselot-Chapel, C. (993) 240
Lacey, E., see Russell, G.J. (993) 233
Lah, T.T., Clifford, J.L., Helmer, K.M., Day, N.A., Moin, K., Honn, K.V., Crissman, J.D. and Sloane, B.F.
Inhibitory properties of low molecular mass cysteine proteinase inhibitors from human sarcoma (993) 63
Lake, B.D., see Hall, N.A. (993) 245
Lambert, C., Chacon, J.N., Chedekel, M.R., Land, E.J., Riley, P.A., Thompson, A. and Truscott, T.G.
A pulse radiolysis investigation of the oxidation of indolic melanin precursors: evidence for indolequinones and subsequent intermediates (993) 12
Land, E.J., see Lambert, C. (993) 12
Larriba, G., see Ridruejo, J.C. (993) 179
Larsen, L.M., see Børresen, T. (993) 108
Ling, M.-f., see Towner, R.A. (993) 92
Lorenz, R.L., Uedelhoven, W.M., Fischer, S., Ruetzel, A. and Weber, P.C.
A critical evaluation of urinary immunoreactive thromboxane: feasibility of its determination as a potential vascular risk indicator (993) 259
Lucchelli, P.E., see D'Agostino, L. (993) 228

Maekawa, S., Hibasami, H., Uji, Y. and Nakashima, K.
Active transport and metabolic characteristics of polyamines in the rat lens (993) 199
Mann, S., see Ward, R.J. (993) 131
Marks, V., see Al-Ahkras, G. (993) 275
Martens, M.F.W.C. and Hendriks, T.
Collagen synthesis in explants from rat intestine (993) 252
Matharoo, B., see Strange, R.C. (993) 186
Mazzacca, G., see D'Agostino, L. (993) 228
Mohamud Osman, A., see Del Corso, A. (993) 116
Moin, K., see Lah, T.T. (993) 63
Moran, A.P., see Kuusela, P. (993) 297
Mori, S., see Yamamoto, I. (993) 191
Morita, K., Nakanishi, A. and Oka, M.
In vitro activation of bovine adrenal tyrosine hydroxylase by rabbit skeletal muscle actin: evidence for a possible role of cytoskeletal elements as an activator for cytoplasmic enzymes (993) 21
Motchnik, P.A. and Tappel, A.L.
Rat plasma selenoprotein P properties and purification (993) 27
Mukai, K., Nishimura, M., Nagano, A., Tanaka, K. and Niki, E.
Kinetic study of the reaction of vitamin C derivatives with tocopheroxyl (vitamin E radical) and substituted phenoxyl radicals in solution (993) 168
Muñoz, M.D., see Ridruejo, J.C. (993) 179
Mura, U., see Del Corso, A. (993) 116
Murayama, T., see Inouhe, M. (993) 51
Murthy, S.K., see Ganju, R.K. (993) 266

Nagano, A., see Mukai, K. (993) 168
Nakajima, H., see Sakai, T. (993) 128
Nakanishi, A., see Morita, K. (993) 21
Nakashima, K., see Maekawa, S. (993) 199
Napolitano, A., see D'Ischia, M. (993) 143
Nethery, A. and O'Grady, R.L.
Identification, partial purification and characterization of high-molecular-weight gelatin-degrading metalloproteinases produced by a rat mammary carcinoma cell line (993) 42
Niki, E., see Mukai, K. (993) 168
Nishimura, M., see Mukai, K. (993) 168

O'Connell, M.J., see Ward, R.J. (993) 131
O'Grady, R.L., see Nethery, A. (993) 42
Oka, M., see Morita, K. (993) 21

Palmer, D.N., see Hall, N.A. (993) 245
Paneque, A., see Ruiz, M.T. (993) 36
Passarelli, V., see Gualtieri, P. (993) 293
Patrick, A.D., see Hall, N.A. (993) 245
Peach, R.J., see Brennan, S.O. (993) 48
Pears, J., Jung, R.T. and Burchell, A.
Amiloride activation of hepatic microsomal glucose-6-phosphatase; activation of T1? (993) 224
Peters, T.J., see Ward, R.J. (993) 131
Pignata, S., see D'Agostino, L. (993) 228
Porwit-Bobr, Z., see Potempa, J. (993) 301
Potempa, J., Porwit-Bobr, Z. and Travis, J.
Stabilization vs. degradation of *Staphylococcus aureus* metalloproteinase (993) 301
Principato, G., see Talesa, V. (993) 7
Prins, A., see Sturk, A. (993) 148
Prota, G., see D'Ischia, M. (993) 143

Reid, N.M.K., see Ward, R.J. (993) 131
Richards, W.G., see Worth, G.A. (993) 134
Ridruejo, J.C., Muñoz, M.D., Andaluz, E. and Larriba, G.
Inhibition of yeast exoglucanases by glucosidase inhibitors (993) 179
Riley, P.A., see Lambert, C. (993) 12
Ritter, J.M., see Barrow, S.E. (993) 121
Roberts, R.C., see Hall, P.K. (993) 217
Rosi, G., see Talesa, V. (993) 7

Rothenberg, S.P., see Kyner, D. (993) 56
Ruetzel, A., see Lorenz, R.L. (993) 259
Ruiz, M.T., Cejudo, F.J. and Paneque, A.
Role of Mn(II) as regulator of nitrate assimilation in *Azotobacter chroococcum* (993) 36
Russell, G.J. and Lacey, E.
Colchicine binding in the free-living nematode *Caenorhabditis elegans* (993) 233

Sakai, T., Yamaguchi, T., Nakajima, H., Kono, N. and Shimizu, C.
Occurrence of bilirubin-IXβ in the gallbladder bile of eel, *Anguilla japonica* (993) 128
Salyers, K.L., see Bank, P.A. (993) 1
Schaap, M.C.L., see Sturk, A. (993) 148
Sheck Mohamed, A., see Del Corso, A. (993) 116
Shimizu, C., see Sakai, T. (993) 128
Sleightholm, M.A., see Barrow, S.E. (993) 121
Sloane, B.F., see Lah, T.T. (993) 63
Sørensen, H., see Børresen, T. (993) 108
Spagnuolo, S., see D'Agostino, L. (993) 228
Stirpe, F., see Bolognesi, A. (993) 287
Strange, R.C., Howie, A.F., Hume, R., Matharoo, B., Bell, J., Hiley, C., Jones, P. and Beckett, G.J.
The developmental expression of alpha-, mu- and pi-class glutathione *S*-transferases in human liver (993) 186
Sturk, A., Schaap, M.C.L., Prins, A., Ten Cate, J.W. and Van den Bosch, H.
Synthesis of platelet-activating factor by human blood platelets and leucocytes. Evidence against selective utilization of cellular ether-linked phospholipids (993) 148

Takai, T., see Yamamoto, I. (993) 191
Talesa, V., Uotila, L., Koivusalo, M., Principato, G., Giovannini, E. and Rosi, G.
Isolation of glyoxalase II from two different compartments of rat liver mitochondria. Kinetic and immunochemical characterization of the enzymes (993) 7
Tanaka, A., Chance, B. and Wehrli, S.
Time-resolved magnetic resonance spectroscopic study of freeze-trapped yeast (993) 280
Tanaka, K., see Mukai, K. (993) 168
Tappel, A.L., see Motchnik, P.A. (993) 27
Ten Cate, J.W., see Sturk, A. (993) 148
Thompson, A., see Lambert, C. (993) 12
Tohoyama, H., see Inouhe, M. (993) 51
Towner, R.A., Brauer, M., Janzen, E.G. and Ling, M.-f.
In vivo and in vitro ^{31}P-NMR spectroscopy of rat liver treated with halocarbons (993) 92
Tozzi, M.G., see Del Corso, A. (993) 116
Travis, J., see Potempa, J. (993) 301
Truscott, T.G., see Lambert, C. (993) 12
Tsai, A.-l., Hsu, M.-J. and Wu, K.K.
Characterization of the interaction between prostacyclin and human serum albumin using a fluorescent analogue, 2,6-dichloro-4-aminophenol iloprost (993) 74

Uedelhoven, W.M., see Lorenz, R.L. (993) 259
Uji, Y., see Maekawa, S. (993) 199
Uotila, L., see Talesa, V. (993) 7

Van den Bosch, H., see Sturk, A. (993) 148
Vartio, T., see Kuusela, P. (993) 297
Ventriglia, R., see D'Agostino, L. (993) 228
Vithayathil, P.J., see Ganju, R.K. (993) 266

Wade, V.J., see Ward, R.J. (993) 131
Ward, P.S., see Barrow, S.E. (993) 121
Ward, R.J., O'Connell, M.J., Dickson, D.P.E., Reid, N.M.K., Wade, V.J., Mann, S., Bomford, A. and Peters, T.J.
Biochemical studies of the iron cores and polypeptide shells of haemosiderin isolated from patients with primary or secondary haemochromatosis (993) 131
Weber, P.C., see Lorenz, R.L. (993) 259
Wehrli, S., see Tanaka, A. (993) 280
Worth, G.A., King, P.M. and Richards, W.G.
Theoretical calculation of tautomer equilibria in solution: 4-(5-)methylimidazole (993) 134
Wright, J., see Al-Ahkras, G. (993) 275
Wu, K.K., see Tsai, A.-l. (993) 74

Yamaguchi, T., see Sakai, T. (993) 128
Yamamoto, I., Takai, T. and Mori, S.
Cytidylate cyclase activity in mouse tissues: the enzymatic conversion of cytidine 5′-triphosphate to cytidine 3′,5′-cyclic monophosphate (cyclic CMP) (993) 191

Zile, M.H., see Bank, P.A. (993) 1